

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	(('6531704') or ('6474138')).PN	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/30 08:39
L2	0	1 and cuprous	USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/30 07:56
L3	1	1 and CuCl	USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/30 08:32
L4	0	1 and lamellar	USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/30 08:40
L5	133	(sens\$3 or detect\$3) near9 lamellar	USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/30 07:41
L6	4023	(sens\$3 or detect\$3) near9 (carbon adj monoxide)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/30 07:42
L7	0	5 and 6	USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/30 07:42
L8	0	5 and (carbon adj monoxide)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/30 08:40
L9	3	6 and lamellar	USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/30 07:48
L10	0	9 and halide	USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/30 07:48
L11	3	9 and metal\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/30 08:05
L12	0	11 and cuprous	USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/30 07:56
L13	18	6 and cuprous	USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/30 07:58
L14	4	6 and (cuprous adj chloride)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/30 08:40
L15	0	14 and electrode	USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/30 08:05

L16	0	9 and (cuprous adj chloride)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/30 08:06
L17	2	1 and 6	USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/30 08:32
L18	2	("5841021").PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/30 08:39
L19	0	18 and (cuprous adj chloride)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/30 08:40
L20	0	18 and lamellar	USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/30 08:40
L21	0	18 and CuCl and (carbon adj monoxide)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/30 08:41
L22	0	18 and CuCl	USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/30 08:41
L23	1	18 and (carbon adj monoxide)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/30 08:42
L24	1	23 and copper	USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/30 08:43

US 6203925 B1	Porous metal and met 428/613	75/722; 75/732
US 5453172 A	Solid-state sensor for 204/421	204/424; 204/426
US 6503382 B1	Method of electrodepc 205/67	204/483; 204/489; 204/490; 205/

L9 or L11

US 5419177 A	Refrigerant gas conta	73/23.4	62/127; 73/29.01
US 4587114 A	Method for separating	423/247	502/184; 502/418
US 3918962 A	Process for winning c	75/429	423/34; 423/417; 423/42; 75/413;
US 3855384 A	PROCESS FOR WINI	423/42	423/34; 423/38; 423/417; 75/413;

L 14